

What's New in Network Extension and VPN

Session 717

Jamie Wood Core OS Networking Engineer

Tommy Pauly Core OS Networking Engineer





Hotspots





Hotspots

NEHotspotHelper





Personal
VPN





Hotspots


NEHotspotHelper














App

NEHotspotHelper

NEVPNManager

NETunnelProvider

NEFilterProvider

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

Wi-Fi Hotspot Authentication

Previous solutions

CNSetSupportedSSIDs and CNMarkPortalOnline



Wi-Fi Hotspot Authentication



Previous solutions

CNSetSupportedSSIDs and CNMarkPortalOnline

- Hotspot list has a size limitation

Wi-Fi Hotspot Authentication



Previous solutions

`CNSetSupportedSSIDs` and `CNMarkPortalOnline`

- Hotspot list has a size limitation
- Users have to manually run your app

Wi-Fi Hotspot Authentication



Previous solutions

`CNSetSupportedSSIDs` and `CNMarkPortalOnline`

- Hotspot list has a size limitation
- Users have to manually run your app
- No indication to the user that your app needs to run

NEHotspotHelper

Custom authentication for Wi-Fi Hotspots



Register with the system as a Hotspot Helper

NEHotspotHelper

Custom authentication for Wi-Fi Hotspots



Register with the system as a Hotspot Helper

From the background

- Claim Hotspots with a level of confidence

NEHotspotHelper

Custom authentication for Wi-Fi Hotspots



Register with the system as a Hotspot Helper

From the background

- Claim Hotspots with a level of confidence
- Perform the initial authentication

NEHotspotHelper

Custom authentication for Wi-Fi Hotspots



Register with the system as a Hotspot Helper

From the background

- Claim Hotspots with a level of confidence
- Perform the initial authentication
- Maintain the authentication session



9:41 AM

100%

[Settings](#)

Wi-Fi

Wi-Fi



CHOOSE A NETWORK...

FON_FREE_INTERN...



goldenview



MyPlace_83ECE4



SFO WiFi

Acme Wireless



Other...

Ask to Join Networks



Known networks will be joined automatically. If no known networks are available, you will have to manually select a...



9:41 AM

100%

[Settings](#)

Wi-Fi

Wi-Fi



CHOOSE A NETWORK...

FON_FREE_INTERN...



goldenview



MyPlace_83ECE4



SFO WiFi

Acme Wireless



Other...

Ask to Join Networks



Known networks will be joined automatically. If no known networks are available, you will have to manually select a...

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

NEVPNManager

Personal VPN



Configure and control the built-in IPsec client

NEVPNManager

Personal VPN



Configure and control the built-in IPSec client

- Create a Personal VPN configuration

NEVPNManager

Personal VPN



Configure and control the built-in IPSec client

- Create a Personal VPN configuration
- Supports IKEv1 and IKEv2

NEVPNManager

Personal VPN



Configure and control the built-in IPSec client

- Create a Personal VPN configuration
- Supports IKEv1 and IKEv2
- Configure Connect On Demand

NEVPNManager

Personal VPN



Configure and control the built-in IPSec client

- Create a Personal VPN configuration
- Supports IKEv1 and IKEv2
- Configure Connect On Demand
- Configure HTTP proxies

NEVPNManager

Personal VPN



Configure and control the built-in IPSec client

- Create a Personal VPN configuration
- Supports IKEv1 and IKEv2
- Configure Connect On Demand
- Configure HTTP proxies
- Cooperates with Enterprise VPN configurations

NEVPNManager

IKEv2 protocol enhancements



NEVPNManager

IKEv2 protocol enhancements

Mobility across interfaces using MOBIKE



NEVPNManager

IKEv2 protocol enhancements

Mobility across interfaces using MOBIKE

Full IPv6 support for inside and outside of tunnel



NEVPNManager

IKEv2 protocol enhancements

Mobility across interfaces using MOBIKE

Full IPv6 support for inside and outside of tunnel

IKE fragmentation support



NEVPNManager

IKEv2 protocol enhancements

Mobility across interfaces using MOBIKE

Full IPv6 support for inside and outside of tunnel

IKE fragmentation support

IKE redirect support



NEVPNManager

Create the configuration



NEVPNManager

Create the configuration



```
import NetworkExtension

// Each app gets a single configuration.
let manager = NEVPNManager.sharedManager()
manager.loadFromPreferencesWithCompletionHandler { error in

}
}
```

NEVPNManager

Create the configuration



```
import NetworkExtension

// Each app gets a single configuration.
let manager = NEVPNManager.sharedManager()
manager.loadFromPreferencesWithCompletionHandler { error in

}
}
```

NEVPNManager



Create the configuration

```
import NetworkExtension

// Each app gets a single configuration.
let manager = NEVPNManager.sharedManager()
manager.loadFromPreferencesWithCompletionHandler { error in
    // Protocol is a keyword, so it needs to be quoted.
    if manager.`protocol` == nil {
        let newIPSec = NEVPNProtocolIKEv2()
        newIPSec.serverAddress = "my.personal.vpn"
        // Set all of the properties on newIPSec.

        manager.`protocol` = newIPSec
        manager.enabled = true
    }
}
```


NEVPNManager



Create the configuration

```
import NetworkExtension

// Each app gets a single configuration.
let manager = NEVPNManager.sharedManager()
manager.loadFromPreferencesWithCompletionHandler { error in
    // Protocol is a keyword, so it needs to be quoted.
    if manager.`protocol` == nil {
        let newIPSec = NEVPNProtocolIKEv2()
        newIPSec.serverAddress = "my.personal.vpn"
        // Set all of the properties on newIPSec.

        manager.`protocol` = newIPSec
        manager.enabled = true
    }
}
```

NEVPNManager



Create the configuration

```
import NetworkExtension

// Each app gets a single configuration.
let manager = NEVPNManager.sharedManager()
manager.loadFromPreferencesWithCompletionHandler { error in
    // Protocol is a keyword, so it needs to be quoted.
    if manager.`protocol` == nil {
        let newIPSec = NEVPNProtocolIKEv2()
        newIPSec.serverAddress = "my.personal.vpn"
        // Set all of the properties on newIPSec.

        manager.`protocol` = newIPSec
        manager.enabled = true
    }
}
```

NEVPNManager



Create the configuration

```
import NetworkExtension

// Each app gets a single configuration.
let manager = NEVPNManager.sharedManager()
manager.loadFromPreferencesWithCompletionHandler { error in
    // Protocol is a keyword, so it needs to be quoted.
    if manager.`protocol` == nil {
        let newIPSec = NEVPNProtocolIKEv2()
        newIPSec.serverAddress = "my.personal.vpn"
        // Set all of the properties on newIPSec.

        manager.`protocol` = newIPSec
        manager.enabled = true
    }
}
```

NEVPNManager



Create the configuration

```
import NetworkExtension

// Each app gets a single configuration.
let manager = NEVPNManager.sharedManager()
manager.loadFromPreferencesWithCompletionHandler { error in
    // Protocol is a keyword, so it needs to be quoted.
    if manager.`protocol` == nil {
        let newIPSec = NEVPNProtocolIKEv2()
        newIPSec.serverAddress = "my.personal.vpn"
        // Set all of the properties on newIPSec.

        manager.`protocol` = newIPSec
        manager.enabled = true
    }
}
```

NEVPNManager



Create the configuration

```
import NetworkExtension

// Each app gets a single configuration.
let manager = NEVPNManager.sharedManager()
manager.loadFromPreferencesWithCompletionHandler { error in
    // Protocol is a keyword, so it needs to be quoted.
    if manager.`protocol` == nil {
        let newIPSec = NEVPNProtocolIKEv2()
        newIPSec.serverAddress = "my.personal.vpn"
        // Set all of the properties on newIPSec.

        manager.`protocol` = newIPSec
        manager.enabled = true

        manager.saveToPreferencesWithCompletionHandler { error in
            // Handle error or success.
        }
    }
}
```

NEVPNManager

Configure Connect On Demand



NEVPNManager

Configure Connect On Demand



```
let manager = NEVPNManager.sharedManager()  
  
// Connect automatically on a matching network.  
let connectRule = NEOnDemandRuleConnect()
```

NEVPNManager

Configure Connect On Demand



```
let manager = NEVPNManager.sharedManager()

// Connect automatically on a matching network.
let connectRule = NEOnDemandRuleConnect()

// Match all Wi-Fi networks.
connectRule.interfaceTypeMatch = .WiFi
```


NEVPNManager

Configure Connect On Demand



```
let manager = NEVPNManager.sharedManager()

// Connect automatically on a matching network.
let connectRule = NEOnDemandRuleConnect()

// Match all Wi-Fi networks.
connectRule.interfaceTypeMatch = .WiFi

// Set rule in array.
manager.onDemandRules = [ connectRule ]
```

NEVPNManager

Configure Connect On Demand



```
let manager = NEVPNManager.sharedManager()

// Connect automatically on a matching network.
let connectRule = NEOnDemandRuleConnect()

// Match all Wi-Fi networks.
connectRule.interfaceTypeMatch = .WiFi

// Set rule in array.
manager.onDemandRules = [ connectRule ]

// Call saveToPreferencesWithCompletionHandler()
manager.saveToPreferencesWithCompletionHandler { error in
    // Handle error or success.
}
```

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

NETunnelProvider

Custom Enterprise VPN solutions

Create a custom VPN protocol provider



NETunnelProvider

Custom Enterprise VPN solutions



Create a custom VPN protocol provider

- Runs as an app extension

NETunnelProvider

Custom Enterprise VPN solutions



Create a custom VPN protocol provider

- Runs as an app extension
- Packet Tunnel Provider for IP layer tunneling

NETunnelProvider

Custom Enterprise VPN solutions



Create a custom VPN protocol provider

- Runs as an app extension
- Packet Tunnel Provider for IP layer tunneling
- App Proxy Provider for app layer tunneling

NETunnelProvider

Custom Enterprise VPN solutions



Create a custom VPN protocol provider

- Runs as an app extension
- Packet Tunnel Provider for IP layer tunneling
- App Proxy Provider for app layer tunneling

Configure and control your protocol provider from your app

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

NEPacketTunnelProvider


VPN data path



NEPacketTunnelProvider


NEPacketTunnelProvider

VPN data path




NEPacketTunnelProvider

VPN data path




NEPacketTunnelProvider

VPN data path




NEPacketTunnelProvider

VPN data path



NEPacketTunnelProvider

VPN data path



Demo

NEPacketTunnelProvider

Tommy Pauly

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

Per-App VPN for Managed Apps

VPN for BYOD



Per-App VPN for Managed Apps

VPN for BYOD



Configure Per-App VPN using Mobile Device Management (MDM)

Per-App VPN for Managed Apps

VPN for BYOD



Configure Per-App VPN using Mobile Device Management (MDM)

- Enroll devices in an MDM service

Per-App VPN for Managed Apps

VPN for BYOD



Configure Per-App VPN using Mobile Device Management (MDM)

- Enroll devices in an MDM service
- Link managed apps with Per-App VPN configurations

Per-App VPN for Managed Apps



VPN for BYOD

Configure Per-App VPN using Mobile Device Management (MDM)

- Enroll devices in an MDM service
- Link managed apps with Per-App VPN configurations

Supported protocols

- Custom App Proxy Providers

Per-App VPN for Managed Apps



VPN for BYOD

Configure Per-App VPN using Mobile Device Management (MDM)

- Enroll devices in an MDM service
- Link managed apps with Per-App VPN configurations

Supported protocols

- Custom App Proxy Providers
- Custom Packet Tunnel Providers

Per-App VPN for Managed Apps



VPN for BYOD

Configure Per-App VPN using Mobile Device Management (MDM)


- Enroll devices in an MDM service
- Link managed apps with Per-App VPN configurations

Supported protocols

- Custom App Proxy Providers
- Custom Packet Tunnel Providers
- Built-in IPsec clients (IKEv1 and IKEv2)


NEPacketTunnelProvider

Per-App VPN data path



NEPacketTunnelProvider

Per-App VPN data path



Demo

Per-App VPN with NEPacketTunnelProvider

Tommy Pauly

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider


NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider


NEAppProxyProvider

Per-App VPN data path




NEAppProxyProvider

Per-App VPN data path



NEAppProxyProvider

Per-App VPN data path



App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

NEFilterProvider

Previous solutions for school content filtering



NEFilterProvider

Previous solutions for school content filtering



On-site content filter



NEFilterProvider



Previous solutions for school content filtering

On-site content filter

Global proxy



NEFilterProvider



Previous solutions for school content filtering

On-site content filter

Global proxy

Full tunnel VPN



NEFilterProvider



Previous solutions for school content filtering

On-site content filter



Global proxy



Full tunnel VPN



On-device content filter



NEFilterProvider

On-device network content filtering

Dynamic evaluation of network content



NEFilterProvider

On-device network content filtering

Dynamic evaluation of network content

Ability to update filtering rules on the fly from the Internet



NEFilterProvider

On-device network content filtering

Dynamic evaluation of network content

Ability to update filtering rules on the fly from the Internet

Customizable block page



NEFilterProvider

On-device network content filtering

Dynamic evaluation of network content

Ability to update filtering rules on the fly from the Internet

Customizable block page

For supervised devices



NEFilterProvider

Filter data path



NEFilterDataProvider


NEFilterProvider

Filter data path




NEFilterProvider

Filter data path




NEFilterProvider

Filter data path




NEFilterProvider

Filter data path



NEFilterProvider

Filter data path





9:41 AM

100%

example.com



You cannot browse this page at
"http://www.example.com"
because it is restricted by Acme Inc.

[Request Access](#)





9:41 AM

100%

example.com



You cannot browse this page at
"http://www.example.com"
because it is restricted by Acme Inc.

[Request Access](#)



App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

App

NEHotspotHelper

NEVPNManager

NETunnel
ProviderManager

NEAppProxy
ProviderManager

NEFilterManager

Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider

App

NEHotspotHelper

NEVPNManager

NETunnelProvider

NEFilterProvider


Extension

NEPacketTunnel
Provider

NEAppProxy
Provider

NEFilterControlProvider

NEFilterDataProvider



Using Network Extension APIs

Select the "Personal VPN" capability in Xcode

NEVPNManager

Special entitlements required

Send request to:

networkextension@apple.com

NEHotspotHelper

NETunnelProvider

NEFilterProvider

Summary

Summary

Port your existing Captive Network apps to use the NEHotspotHelper API

Summary

Port your existing Captive Network apps to use the NEHotspotHelper API

Adopt the NEVPNManager API in your personal VPN apps

Summary

Port your existing Captive Network apps to use the NEHotspotHelper API

Adopt the NEVPNManager API in your personal VPN apps

Use the NETunnelProvider APIs to create custom enterprise VPN apps

Summary

Port your existing Captive Network apps to use the NEHotspotHelper API

Adopt the NEVPNManager API in your personal VPN apps

Use the NETunnelProvider APIs to create custom enterprise VPN apps

Use MDM to deploy Per-App VPN for BYOD

Summary

Port your existing Captive Network apps to use the NEHotspotHelper API

Adopt the NEVPNManager API in your personal VPN apps

Use the NETunnelProvider APIs to create custom enterprise VPN apps

Use MDM to deploy Per-App VPN for BYOD

Use the NEFilterProvider APIs to create on-device network content filtering apps

More Information

Documentation

Network Extension Documentation

Coming Soon

Sample Code

SimpleTunnel Sample Code

Coming Soon

More Information

Technical Support

Apple Developer Forums

<http://devforums.apple.com>

Developer Technical Support

<http://developer.apple.com/support/technical>

General Inquiries

Paul Danbold, Core OS Evangelist

danbold@apple.com

Network Extension Permission Requests

networkextension@apple.com

Related Sessions

What's New in Managing Apple Devices

Nob Hill

Tuesday 11:00AM

Networking with NSURLSession

Pacific Heights

Thursday 9:00AM

Your App and Next Generation Networks

Mission

Friday 11:00AM

Labs

Networking Lab

Frameworks Lab B

Friday 1:30PM

Education and Enterprise Development and
Deployment Lab

Frameworks Lab C

Friday 2:30PM

 WWDC 15